Мрежово захранващо устройство

Model: **AK-TB-12**

Код на продукта	AK-TB-12
Тип на продукта	Мрежово захранващо устройство
Серия	Universal
Захранващо напрежение	110-240 V
Разход на ток	< 2 A
Изходно напрежение	12 V
Изходен ток	3 A
Максимална мощност	36 W
Механичен изключвател	Няма
Заземяване	Няма (II клас на защита)
Защита OVP	да
Защита OCP	да
Защита OPP	да
Защита OTP	да
Защита SCP	да
Конектор за захранване	5.5 x 2.1 мм
Дължина на щифта	10 mm
Дължина на кабел	1.4 м
Материал на изпълнение	ABS
Цвят на продукта	Черно
MTBF, средно време между аварии	100000 ч
Работна температура	5 - 50 °C
Опаковка	EcoBox
Размери на продукта (Вис x Шир x Дълб)	90 x 70 x 46 mm
Размери на опаковката (Вис x Шир x Дълб)	135 x 85 x 50 mm
Нето тегло	108 g
Бруто тегло	143 г
Съответствие на CE	да
Съответствие на FCC	да
Съответствие на RoHS	да
Съответствие на REACH	да
Код EAN	5901720137883
Гаранция	24 месеца

Description

AK-TB-12 is the 36W power supply for all CCTV and lighting systems or other devices supplied with **12V/3A** compatible with **5.5*2.1 mm** plug.
The **1.4 m** long cord is equipped with a high quality **ferrite core** that prevents and protects devices from any possible mode currents and high frequency noise. A set of protectors (OVP, OTP, OPP, SCP and OCP) guarantees 100% secure, stable work both powered device and the power supply.